



Chinese herbal medicine for SARS and SARS-CoV-2 treatment and prevention, encouraging using herbal medicine for COVID-19 outbreak

Mohamad Hesam Shahrajabian, Wenli Sun, Hong Shen & Qi Cheng

To cite this article: Mohamad Hesam Shahrajabian, Wenli Sun, Hong Shen & Qi Cheng (2020): Chinese herbal medicine for SARS and SARS-CoV-2 treatment and prevention, encouraging using herbal medicine for COVID-19 outbreak, Acta Agriculturae Scandinavica, Section B — Soil & Plant Science, DOI: [10.1080/09064710.2020.1763448](https://doi.org/10.1080/09064710.2020.1763448)

To link to this article: <https://doi.org/10.1080/09064710.2020.1763448>



Published online: 18 May 2020.



Submit your article to this journal [↗](#)



View related articles [↗](#)



View Crossmark data [↗](#)



Chinese herbal medicine for SARS and SARS-CoV-2 treatment and prevention, encouraging using herbal medicine for COVID-19 outbreak

Mohamad Hesam Shahrajabian ^{a,*}, Wenli Sun ^{a,*}, Hong Shen^b and Qi Cheng ^{a,c,*}

^aBiotechnology Research Institute, Chinese Academy of Agricultural Sciences, Beijing, China; ^bNMPA Key Laboratory for Testing and Risk Warning of Pharmaceutical Microbiology, Biological Inspection Department, Zhejiang Institute for Food and Drug Control, Hangzhou, China; ^cCollege of Life Sciences, Hebei Agricultural University, Baoding, Hebei, 071000, China; Global Alliance of HeBAU-CLS&HeQiS for BioAI-Manufacturing, Baoding, Hebei 071000, China

ABSTRACT

Chinese herbs and plants have been used as traditional medicine, immune system booster for human being for thousands of years in China and other parts of Asia. Seven coronaviruses are known to infect humans, three of them are serious which are SARS (severe acute respiratory syndrome), MERS (Middle East respiratory syndrome), and SARS-CoV-2 (Covid-19). In this mini-review article, we have mentioned the key role some of the most important plants with antiviral activities and herbs against SARS and SARS-CoV-2 on the basis of traditional Chinese medicine.

ARTICLE HISTORY

Received 16 April 2020
Accepted 17 April 2020

KEYWORDS

SARS; SARS-CoV-2; Licorice; traditional herbal plants

Introduction

Medicinal plants application dates back to the origin of human civilisation (Soleymani and Shahrajabian 2012; Lin et al. 2014; Shahrajabian et al. 2020). Traditional Chinese Medicine includes herbal medicine and acupuncture, works to prevent and treatment of disease by boosting the immune system (Shahrajabian et al. 2019a, 2019b). If Chinese herbs use correctly, there will be no adverse reactions (Shahrajabian et al. 2019c; Sun et al. 2019a, 2019b). Seven coronaviruses are known to infect humans, three of them are serious, namely, SARS (severe acute respiratory syndrome, China, 2002), MERS (Middle East respiratory syndrome, Saudi Arabia, 2012), and SARS-CoV-2 (2019–2020). Their family is *Coronaviridae*, and its genus is *Coronavirus*. Its genome sequence analysis has shown that SARS-CoV-2 belongs to betacoronavirus genus, which includes Bat SARS-like coronavirus, SARS-CoV and MERS-CoV. On the basis of nucleic acid sequence similarity, the newly identified 2019-nCoV is a betacoronavirus. The aim of this mini-review article is survey and introduce important medicinal herbs and plants with antiviral activities against SARS and Covid-19.

Plants with antiviral activities, and anti-SARS plants

Zhang and Chen (2008) found that 15 compounds namely, chlorogenic acid, rutin, hyperoside, *p*-

hydroxyacetophenone, scopoletin, quercetin, (3*R*,4*R*,6*S*)-3,6-dihydroxy-1-menthene, acaciin, scoparone, luteolin, quercetin, apigenin, acacetin, aristolactam, and apigenin-7,4'-dimethyl ether are notable compounds used for treatment and prevention of SARS. It has been reported *Houttuynia cordata* (HC) extract may activate the cell-mediated immunity to prevent viral infection to combat SARS (Lau et al. 2008). Several studies introduced quercetin, as an antioxidant flavonoids in both fruits and vegetables with tremendous antiviral activities which may influence SARS-CoV when cultured with target cells and causal agents of URT1 (Chiang et al. 2003; Chen et al. 2006; Heinz et al. 2010). Wen et al. (2011) also suggested herbal extracts of *Cibotium Barometz*, *Gentiana Scabra*, *Dioscorea Batatas*, *Cassia Tora*, and *Taxillus Chinese* to inhibit SARS-CoV replication. Licorice is a common herb with more than 20 triterpenoids and around 300 flavonoids which has great potential therapeutic effects as an antiviral or an antimicrobial agent (Li and Peng 2013; Wang et al. 2015). Cheng et al. (2006) reported that saikosaponins (A, B₂, C, D) can be used against HCoV-22E9 because saikosaponin B₂ inhibits viral attachment and penetration stages. Lin et al. (2005) found that amentoflavone isolated from *Torreya nucifera* can be used against SARS-CoV. Also, Yu et al. (2012) introduced myricetin and scutellarin as helicase inhibitor against SARS-CoV. Ho et al. also found that Emodin in *Radix et Rhizoma Rhei* and *Radix*

CONTACT Qi Cheng  chengqi@caas.cn  Biotechnology Research Institute Chinese Academy of Agricultural Sciences, Beijing, China; College of Life Sciences, Hebei Agricultural University, Baoding, Hebei 071000, China, Global Alliance of HeBAU-CLS&HeQiS for BioAI-Manufacturing, Baoding Hebei 071000, China

*Authors contributed equally to this research.

Table 1. Plants with antiviral activities.

Plant name	Mechanism	Reference
Maca (<i>Lepidium meyenii</i>) <i>Eucalyptus camaldulensis</i> Dehn.	It has antiviral activities against both Flu-A and Flu-B viruses It has considerable antimicrobial activity, and its increase in combinations with antivirals and extracts of <i>Annona senegalensis</i> and <i>Psidium guajava</i>	Dell Valle Mendoza et al. (2014) Sabo and Knezevic (2019)
<i>Betula papyrifera</i>	Metaholic plant extract of <i>Betula papyrifera</i> was proved for antiviral activity against coronavirus (BCV, Coronaviridae). The 80% methanolic extract fraction showed significant antimicrobial activity.	Rastogi et al. (2015)
<i>Zanthoxylum piperitum</i>	Its leaf extract has antiviral activities against influenza A/WS/33, A/PR/8, and B/Lee/40 viruses	Choi et al. (2008)
Sunflower (<i>Helianthus annuus</i> L.)	Flowers and seeds extracts of sunflower at various concentrations may treat different human infectious diseases	Al-Shukaili and Hossain (2019)
<i>Codonopsis lanceolata</i>	The most important phytochemical in the leaves are chlorogenic acid, luteolin, benzoic acid and apigenin which may be helpful against infectious diseases.	Ghimire et al. (2017)
<i>Verbascum pterocalycinum</i> var. <i>mutense</i> Hub.-Mor.	The isolated saponins can be considered as potential drug in treatment of infected diseases.	Yagmur Diker et al. (2019)
<i>Limonium densiflorum</i>	Flavonoids and saponins are the major classes of natural products in shoot extracts which may have antiviral activities.	Medini et al. (2014)
<i>Robinia pseudoacacia</i> cv. <i>idaho</i>	Its natural compounds in traditional Chinese medicine can be considered as antiviral therapeutics	Guo et al. (2019)
<i>Isatidis Radix</i>	Its derived glucosinolate isomers and components like progoitrin, goitrin, epigoitrin and epiprogoitrin have antiviral potency and may contribute for influenza virus infection	Nie et al. (2020)
Licorice (<i>Glycyrrhiza uralensis</i> Fisch.)	It inhibits pathogenic H5N1 influenza through its antioxidant activities. It has several antiviral components against infections. It is also against and SARS coronavirus.	(Lin 2003; Chen et al. 2004; Hoever et al. 2005; Sui et al. 2010; Michaelis et al. 2010, 2011; Wang et al. 2013)
<i>Houttuynia cordata</i> Thunb.	Its antiviral activities extract such as quercetin, quercetrin and cinanserin has antiviral activities and effects on murine coronavirus and dengue virus infection	Chiow et al. (2016)
<i>Isatis indigotica</i> Fort. <i>Toona sinensis</i> Roem	Isatindigoticamides A and B exhibited antiviral activities TSL-1 which is an extract from its tender leaf has an evident effect against SARS-CoV	Liu et al. (2017) Chen et al. (2008)
Compounds of <i>A. annua</i> , <i>L. radiata</i> , <i>P. lingua</i> , and <i>L. aggregata</i> <i>Fructus arctii</i>	Herbal extracts and the compound lycorine can be use as a treatment of SARS-CoV Arctigenin inhibits viral replication. Arctigenin also exhibit hemagglutination inhibition	Li et al. (2005) Gao et al. (2002); Yang et al. (2005a, 2005b)
Sinupret, a herbal medicinal product made from Gentian root, Primula flower, Elder flower, Sorrel herb and Verbena hers	Concentration-dependent antiviral activity (EC ₅₀ between 13.8 and 124.8 µg/ml) is against RNA and DNA viruses independent of a viral envelope, so it is a good treatment of acute and chronic rhinosinusitis and respiratory viral infections	Glatthaar-Saalmuller et al. (2011)
Bioaron C, an herbal medicinal product consisting of an aqueous extract of <i>Aloe arborescence</i> Mill, vitamin C, and <i>Aronia melanocarpa</i> Elliot	Its aqueous extract has been proved as a selective antiviral treatment against influenza viruses	Glatthaar-Saalmuller et al. (2015)
Plant kingdoms like <i>Clusiaceae</i> , <i>Umbelliferae</i> and <i>Rutaceae</i>	They contain coumarin which has antiviral activity against a wide range of viruses, especially influenza viruses	Mishra et al. (2020)

Polygoni Multiflori may block the S protein and ACE2 interaction and glycyrrhizin in *Radix glycyrrhizae* can inhibit viral attachment and penetration in fight against SARS-CoV. The most important plant species as treatment remedies for respiratory diseases are *Acacia polyacantha* Willd., *Andira inermis*, *Asparagus africanus* Lam., *Cussonia arborea* Hochst, *Entada Africana* Guill and Perr., *Euphorbia hirta* L., *Keetia hispida*, *Phyllanthus muelerianus*, *Terminalia schimperiana* Hochst, *Sophora flaescens* Ait., *Scutellaria baicalensis* Georgi, *Artemisia afra*, *Sambucus nigra* L., *Anchusa italic* Retz., *Cynodon dactylon* (L.) Pers., *Thymus kotschyanus* Boiss. et Hoh., *Glycyrrhiza echinata* L., *Trigonella foenum-graceum* L., *Althaea officinalis* L., *Malva sylvestris* L., *Prunus mahaleb* L.,

Adiantum capillus-veneris L., *Ferula oopoda* (Boiss. & Buhse.) Boiss., *Stachys turcomica* Trautv, *Acacia kempeana* F. Muell., *Acacia ligulata* Cunn. Ex Benth, *Eremophia alternifolia* R. Br., *Cymbopogon ambiguous* (Steudel) A. Camus. Plants with antiviral activities are shown in Table 1. The most important herbal plants for preventing SARS are shown in Table 2.

Conclusion

Traditional Chinese medicine (TCM) has a long history which is formed by summarising the precious experience of understanding life, maintaining health and fighting diseases accumulated in daily life, production and

Table 2. The most important herbal plants for preventing SARS (Lau et al. 2005; Zhang et al. 2005).

<i>Folium mori</i>
<i>Flos chrysanthemi</i>
<i>Semen armeniacae amarum</i>
<i>Fructus forsythia</i>
<i>Herba menthae</i>
<i>Radix menthae</i>
<i>Radix platycodonis</i>
<i>Radix glycyrrhizae</i>
<i>Rhizoma phragmitis</i>
<i>Radix saposhnikoviae</i>
<i>Folium isatidis</i>
<i>Radix scutellariae</i>
<i>Lonicerae Japonicae Flos</i>
<i>Radix astragali</i>
<i>Rhizoma Atractylodis Macrocephalae</i>
<i>Radix saposhnikoviae</i>
<i>Glehniae Radix</i>
Crystal sugar
<i>Radix astragali</i>
<i>Rhizoma Atractylodis Macrocephalae</i>
<i>Radix saposhnikoviae</i>
<i>Cyrtomium fortune J. Sm.</i>
<i>Isatidis Folium</i>
<i>Radix Scutellariae</i>
Talcum
<i>Radix glycyrrhizae</i>

Notes: Plants for treatment and prevention of Covid-19. TCM is highly valued by both government of people of China in their efforts to prevent and eradicate SARS-CoV-2 (Yang et al. 2020). Qingfei paidu decoction (QPD) consists of *Ephedrae Herba*, *Glycyrrhizae Radix et Rhizoma Praeparata cum Melle*, *Armeniacae Semen Amarum*, *Gypsum Fibrosum*, *Cinnamomi Ramulus*, *Alismatis Rhizoma*, *Polyporus*, *Atractylodis Macrocephalae Rhizoma*, *Poria*, *Bupleuri Radix*, *Scutellariae Radix*, *Pinelliae Rhizoma Praeparatum cum Zingibere et Alumine*, *Zingiberis Rhizoma Recens*, *Asteris Radix et Rhizoma*, *Farfarae Flos*, *Belamcandae Rhizoma*, *Asari Radix et Rhizoma*, *Dioscoreae Rhizoma*, *Aurantii Fructus Immaturus*, *Citri Reticulatae Pericarpium*, and *Pogostemonia Hebra* has been suggested in treatment of COVID-19 in China (National Health Commission of the People's Republic of China 2020). Xu and Zhang (2020) suggested that Yupingfeng San, which consists of three herbs, namely *Astragalus*, *Fangfeng* and *Atractylodes* is a king of preventive treatment, and regulate the body's immune function. In this medicine, *Astragalus* may improve lung Qi and reduce phlegm; *Fangfeng* may relieve the pathogenic Qi and remove dampness and pain, and *Atractylodes* increases the spleen Qi which may influence digestion and absorption. They have also proposed prescriptions for mild and severe patients which are shown in Table 3.

medical practices. Extracts from *Artemisia annua*, *Lycoris radiata*, *Lidera aggregate*, *Isatis indigotica*, *Torreya nucifera* and *Houttuynia cordata* showed anti-SARS effects. Extract of *Pelargonium sidoides* root and dandelion also have anti-influenza activities and they can inhibit virus entry and key viral enzyme activities. Licorice root has been

used in both traditional Chinese and Indian medicine for eons especially for respiratory ailments and diseases including pneumonia. Some other suggested herbs from TCM which use to treat and prevent coronavirus are *Radix astragali* (Huangqi), *Radix glycyrrhizae* (Ganacao), *Radix saposhnikoviae* (Fangfeng), *Rhizoma*

Table 3. Different types of prescriptions for mild and severe patients (Xu and Zhang 2020).

Mild patients				
Sangjujyin	Mulberry leaf 15 g Mint 6 g	Chrysanthemum 10 g Chinese bellflower 6 g	Forsythia 10 g Reed root 15 g	Almond 9 g Licorice 3 g
Yinqiaosan	Forsythia 15 g Bamboo leaves 6 g Burdock 6 g	Chinese bellflower 6 g Licorice 3 g	Honeysuckle 15 g Nepeta 6 g	Mint 6 g Light tempeh 5 g
Severe patients				
Maxinshigan Tang	Ephedra 15 g	Almond 10 g	Plaster 20 g	Licorice 9 g
Baihegujin Tang	Shudihuang 15 g Xuanshen 10 g Beimu 6 g	Dihuang 15 g Chinese bellflower 6 g Licorice 3 g	Angelica 15 g Ophiopogon 6 g	White peony 6 g Lily 6 g

Notes: Luo et al. (2020) introduced *Astragalus membranaceus*, *Glycyrrhizae uralensis*, *Saposhnikoviae divaricata*, *Rhizoma Atractylodis Macrocephalae*, *Lonicerae Japonicae Flos*, *Fructus Forsythiae*, *Atractylodis Rhizoma*, *Radix platycodonis*, *Agastache rugosa*, *Cyrtomium fortune J. Sm.*, for prevention of Covid-19 infection, while Xu and Zhang (2020) recommended *Astragalus membranaceus*, *Atractylodis Rhizoma*, *Eupatorii Herba*, *Agastache rugosa*, *Ophiopogon japonicus*, *Scrophularia ningpoensis*, *Rhizoma phragmitis*, *Adeinophora stricta* Miq, and *Dendrobium nobile* Lindl. for the prevention of Covid-19 infection. Zhang et al. (2020) reported the network pharmacology analysis predicted that the general in vivo roles of 25 herbal plants were related to regulating viral infection, immune inflammation reactions and hypoxia response. The 26 Chinese herbals screened and classic catalogue is shown in Table 4. Composition of Huo-Gu formula is indicated in Table 5. Traditional Chinese medicine treatments for different COVID-19 cases are presented in Table 6. Some important chemical constituents in traditional herbs which can consider them in fight against COVID-10 are Betulinic acid, Coumaroyltyramine, Cryptotanshinone, Desmethoxyreserpine, Dihomo- γ -linolenic acid, Dihydrotyanshinone I, Kaempferol, Lignan, Moupinamide, N-cis-feruloyltyramine, Quercetin, Sugiol and Tanshinone IIa.

Table 4. The 26 Chinese herbals screened and classic catalogue (Zhang et al. 2020).

Herbal name (Latin)	The number of antiviral natural compounds contained in the plant	Classic catalogue (Latin/English)
<i>Forsythiae fructus</i>	3	Antipyretic detoxifying
<i>Licorice</i>	3	Qi-reinforcing
<i>Mori cortex</i>	3	Antitussive antiasthmatics
<i>Chrysanthemi flos</i>	2	Pungent cool diaphoretic
<i>Farfarae flos</i>	2	Antitussive antiasthmatics
<i>Lonicerae japonicae flos</i>	2	Antipyretic-detoxifying drugs
<i>Mori follum</i>	2	Pungent cool diaphoretic
<i>Peucedani radix</i>	2	Phlegm-resolving medicine
<i>Rhizoma fagopyri cymosti</i>	2	Antipyretic detoxifying
<i>Tamaricis cacumen</i>	3	Pungent-warm exterior-releasing medicine
<i>Erigeron breviscapus</i>	2	Pungent-warm exterior-releasing medicine
<i>Radix bupleuri</i>	2	Pungent cool diaphoretic
<i>Coptidis rhizome</i>	2	Heat-clearing and dampness drying medicine
<i>Houttuyniae herba</i>	2	Antipyretic-detoxifying
<i>Hoveniae dulcis semen</i>	2	Antipyretic-detoxifying
<i>Inulae flos</i>	2	Phlegm-resolving medicine
<i>Eriobotryae folium</i>	3	Antitussive antiasthmatics
<i>Hedysarum multijugum maxim.</i>	3	Qi-reinforcing
<i>Lepidii semen descrainiae semen</i>	3	Antitussive antiasthmatics
<i>Ardisiae japonicae herba</i>	2	Antitussive antiasthmatics
<i>Asteris radix et rhizome</i>	2	Antitussive antiasthmatics
<i>Euphorbiae helioscopiae herba</i>	2	Diuretic dampness- excreting
<i>Ginkgo semen</i>	2	Antitussive antiasthmatics
<i>Anemarrhenae rhizome</i>	3	Fire-purging
<i>Epimrdii herba</i>	2	Yang-reinforcing
<i>Fortunes bossfern rhizome</i>	2	Warming interior

Atractylodis Macrocephalae (Baizhu), *Fructus forsythia* (Lianqiao). Qingfei Paidu decoction (QPD) is considered because of high efficacy contain *Ephedrae Herba*, *Glycyrrhizae Radix et Rhizoma Praeprata cum Melle*, *Armeniacae Semen Amarum*, *Gypsum Fibrosum*, *Cinnamomi Ramulus*, *Alismatis Rhizoma*, *Polyporus*, *Atractylodis Macrocephalae Rhizoma*, *Poria*, *Bupleuri Radix*, *Scutellariae Radix*, *Pinelliae Rhizoma Praepratum cum Zingibere et Alumine*, *Zingiberis Rhizoma Recens*, *Asteris Radix et Rhizoma*, *Farfarae Flos*, *Belamcandae Rhizoma*, *Asari Radix et Rhizoma*, *Dioscoreae*

Table 5. Composition of Huo-Gu formula (Huang et al. 2020).

Pharmaceutical name of herbal compounds	Chinese name	Dosage (g)
Poria	Fuling	12
Cinnamomi ramulus	Guizhi	10
Atractylodis macrocephalae rhizoma	Baizhu	12
Glycyrrhizae radix et rhizome	Ganacao	3
Pinelliae rhizome praeparatum	Fabanxia	9
Radix salvia miltiorrhizae	Dangshen	12
Angelicae sinensis radix	Danggui	9
Chuanxiong rhizome	Chuanxiong	10
Rehmanniae radix praeparatum	Shudihuang	12
Paeonia radix rubra	Chisaho	9
Eupolyphaga steleophaga	Tubiechong	9
Cervicornuscolla	Lujiaojiao	12

Rhizoma, Aurantii Fructus Immaturus, Citri Reticulatae Pericarpium and *Pogostemonis Herbal*. Combining traditional Chinese medicine and chemical medicines may give better results, but it is better pharmacologists separate active pharmaceutical ingredients and identify explicit targets. The compounds extracted from *A. annua*, *L. radiate*, *P. lingua*, and *L. aggregate* have been identified to show antiviral against SARS-CoV which; but it may need to be tested for SARS-Covid-2. The compounds of *Houttuynia cordata* contribute to the superior antiviral efficacy of EA fraction which lacked cytotoxicity in vitro and acute toxicity in vivo, and it has great potential for the development of antiviral agents against coronavirus infection; furthermore, three of its constituent flavonoids against murine coronavirus are quercetin, auercitrin and ruitn. *Radix astragali* (Huangqi), *Glycrrhizae Radix Et Rhizoma* (Ganacao), *Radix saphoshnikoviae* (Fangfen), *Rhizoma Atractylodis Macrocephalae* (Baizhu), *Lonicerae Japonicae Flos* (Jinyinhua), *Fructus forsythia* (Lianqiao), *Atractylodis Rhizoma* (Cangzhu), *Radix platycodonis* (Jiegeng), *Pogostemonis Herba* (Huoxiang), *Cyrtomium fortune J. Sm.* (Guanzhong), *Perillae Folium* (Zisuye), *Rhizoma phragmitis* (Lugen), *Glehniae Radix* (Shashen), *Citri Reticulatae Pericarpium* (Chenpi), *Ophiopogonis Radix* (Maidong), *Eupatorii Herba* (Peilan), *Folium isatidis* (Banlangen), *Coicis Semen* (Yiyiren), and *Folium mori* (Sangye) are the most common herbs in preventive formulae for COVID-19. Some important chemical constituents in traditional herbs which can consider them in fight against COVID-10 are Betulinic acid, Coumaroyltyramine, Cryptotanshinone, Desmethoxyreserpine, Dihomo- γ -linolenic acid, Dihydrotanshinone I, Kaempferol, Lignan, Moupinamide, N-cis-feruloyltyramine, Quercetin, Sugiol and Tanshinone IIa. The most important herbal formulae for COVID-19 were herbal formula of Shen Fu Tang with Su He Xiang Pill or Angong Niu Huang Pill in the severe stage and the combined formula of Xiang Sha Liu Junzi Tang and Li Zhong Pill in the recovery stage; furthermore, Angong Niu Huang Pill, Zhi Bao Dan, Zi Xue San, and Su He Xiang Pill were the only

Table 6. Traditional Chinese medicine treatments for different COVID-19 cases (Ho et al. 2020).

Clinical feature	Suspected COVID-19 case Recommended Chinese patent medicine	Ingredients
Muscle fatigue accompanied with gastrointestinal discomfort	Huoxiang Zhengqi capsules	<i>Pogostemonis Herba, Glycyrrhizae Radix et Rhizoma, Praeparata cum Melle, Atractylodis Macrocephalae Rhizoma, Pinelliae Rhizoma, Citri Reticulatae Pericarpium, Magnoliae Officinalis Cortex, Platycodonis Radix, Perillae Folium, Arecae Pericarpium, Poria, Angelicae Dahuricae Radix, Zingiberis Rhizoma Recens, and Jujubae Fructus</i>
Muscle fatigue accompanied with fever	Jinhua Qinggan granules	<i>Lonicerae Japonicae Flos, Gypsum Fibrosum, Ephedrae Herba Praeparata cum Melle, Armeniacae Semen Amarum, Scutellariae Radix, Forsythiae Fructus, Fritillariae Thunbergii Bulbus, Anemarrhenae Rhizoma, Arctii Fructus, Artemisiae Annuae Herba, Menthae Haplocalycis Herba, and Glycyrrhizae Radix et Rhizoma</i>
	Lianhua Qingwen capsules	<i>Forsythiae Fructus, Lonicerae Japonicae Flos, Ephedrae Herba Praeparata cum Melle, Armeniacae Semen Amarum, Gypsum Fibrosum, Isatidis Radix, Dryopteridis Crassirhizomatis Rhizoma, Houttuyniae Herba, Pogostemonis Herba, Rhei Radix et Rhizoma, Rhodiolae Crenulatae Radix et Rhizoma, Menthae Haplocalycis Herba, and Glycyrrhizae Radix et Rhizoma.</i>
	Shufeng Jiedu capsules	<i>Polygoni Cuspidati Rhizoma et Radix, Forsythiae Fructus, Isatidis Radix, Bupleuri Radix, Patriniae Herba, Verbenae Herba, Phragmitis Rhizoma, and Glycyrrhizae Radix et Rhizoma.</i>
Qingfei Paidu Decoction	Confirmed COVID-19 case Application: ased on the clinical observations made by clinicians across different regions, this is a basic Chinese herbal medicine formula applies to mild cases, moderate cases, and severe cases. It may also apply to critical cases, depending on the condition of individual patients. Where appropriate, medical professionals may choose to prescribe other formulae introduced in the subsequent sections of this article, based on the TCM diagnosis of patients.	Basic formula: <i>Ephedrae Herba 9 g, Glycyrrhizae Radix et Rhizoma Praeparata cum Melle 6 g, Armeniacae Semen Amarum 9 g, Gypsum Fibrosum 15–30 g (decoct first), Cinnamomi Ramulus 9 g, Alismatis Rhizoma 9 g, Polyporus 9 g, Atractylodis Macrocephalae Rhizoma 9 g, Poria 15 g, Bupleuri Radix 16 g, Scutellariae Radix 6 g, Pinelliae Rhizoma Praeparatum cum Zingibere et Alumine 9 g, Zingiberis Rhizoma Recens 9 g, Asteris Radix et Rhizoma 9 g, Farfarae Flos 9 g, Belamcandae Rhizoma 9 g, Asari Radix et Rhizoma 6 g, Dioscoreae Rhizoma 12 g, Aurantii Fructus Immaturus 6 g, Citri Reticulatae Pericarpium 6 g, and Pogostemonis Herba 9 g.</i>

prescription that were not required in the form of decoction and only prescribed in the severe stage. Traditional Chinese herbal medicines can consider as an important key in the management of new and emerging infectious disease.

Authors' contribution

All authors contributed equally to literature research, writing manuscript, etc.

Disclosure statement

No potential conflict of interest was reported by the author(s).

Notes on contributors

Dr **Mohamad Hesam Shahrajabian** is a Senior Researcher, Biotechnology Research Institute, Chinese Academy of Agricultural Sciences, Beijing 100081, China.

Dr **Wenli Sun** Associate Professor Biotechnology Research Institute, Chinese Academy of Agricultural Sciences, Beijing 100081, China.

Dr **Hong Shen** is a Senior Researcher, NMPA Key laboratory for Testing and Risk Warning of Pharmaceutical Microbiology,

Biological Inspection Department, Zhejiang Institute for Food and Drug Control, Hangzhou 310052, China.

Prof Dr **Qi Cheng** Full Professor, Biotechnology Research Institute, Chinese Academy of Agricultural Sciences, Beijing 100081, China.

ORCID

Mohamad Hesam Shahrajabian  <http://orcid.org/0000-0002-8638-1312>

Wenli Sun  <http://orcid.org/0000-0002-1705-2996>

Qi Cheng  <http://orcid.org/0000-0003-1269-6386>

References

- Al-Shukaili NBMB, Hossain MA. 2019. Antimicrobial and cytotoxic potential of seeds and flowers crude extracts of sunflower. *Grain Oil Sci Technol.* 2:103–108.
- Chen F, Chan KH, Jiang Y, Kao RY, Lu HT, Fan KW, Cheng VC, Tsui WH, Hung IF, Lee TS, et al. 2004. *In vitro* susceptibility of 10 clinical isolates of SARS coronavirus to selected antiviral compounds. *J Clin Virol.* 31:69–75.
- Chen L, Li J, Luo C, Liu H, Xu W, Chen G, et al. 2006. Binding interaction of quercetin-3- β -galactoside and its synthetic derivatives with SARS-CoV 3CL^{pro}: structure-activity relationship studies reveal salient pharmacophore features. *Bioorg Med Chem.* 14:8295–8306.

- Chen C-J, Michaelis M, Hsu H-K, Tsai C-C, Yang KD, Wu Y-C, Jr J C, Doerr HW. 2008. *Toona sinensis* Roem tender leaf extract inhibits SARS coronavirus replication. *J Ethnopharmacol.* 120:108–111.
- Cheng PW, Ng LT, Chiang LC, Lin CC. 2006. Antiviral effects of saikosaponins on human coronavirus 229E *in vitro*. *Clin Exp Pharmacol Physiol.* 33:612–616.
- Chiang LC, Chiang W, Liu MC, Lin CC. 2003. *In vitro* antiviral activities of *Caesalpinia pulcherrima* and its related flavonoids. *J Antimicrob Chemother.* 52:194–198.
- Chiu KH, Phoon MC, Putti T, Tan BKH, Chow VT. 2016. Evaluation of antiviral activities of *Houttuynia cordata* Thunb. extract, quercetin, quercetrin and cinanserin on murine coronavirus and dengue virus infection. *Asian Pac J Trop Med.* 9(1):1–7.
- Choi HJ, Song JH, Kwon DH, et al. 2008. Antiviral activity of *Zanthoxylum* species against influenza virus. *Korean J Med Crop Sci.* 16(4):273–278.
- Dell Valle Mendoza J, Pumarola T, Gonzales LA, Dell Valle LJ. 2014. Antiviral activity of maca (*Lepidium meyenii*) against human influenza virus. *Asian Pac J Trop Med.* 7(Suppl 1): S415–S420.
- Gao Y, Dong X, Kang T, Zhao C, Huang Z, Zhang X. 2002. Activity of *in vitro* anti-influenza virus of arctigenin. *Chin Trad Herbal Drugs.* 33:724–726.
- Ghimire BK, Seong ES, Yu CY, Kim S-H, Chung I-M. 2017. Evaluation of phenolic compounds and antimicrobial activities in transgenic *Codonopsis lanceolata* plants via overexpression of the γ -tocopherol methyltransferase (γ -tmt) gene. *S Afr J Bot.* 109:25–33.
- Glatthaar-Saalmuller B, Rauchhaus U, Rode S, Haunschild J, Saalmuller A. 2011. Antiviral activity *in vitro* of two preparations of the herbal medicinal product Sinupret against viruses causing respiratory infections. *Phytomedicine.* 19:1–7.
- Glatthaar-Saalmuller B, Fal AM, Schonknecht K, Conrad F, Sievers H, Saalmuller A. 2015. Antiviral activity of an aqueous extract derived from *Aloe arborescens* Mill. against a broad panel of viruses causing infections of the upper respiratory tract. *Phytomedicine.* 22:911–920.
- Guo H, Wan X, Niu F, Sun J, Shi C, Ye JM, Zhou C. 2019. Evaluation of antiviral effect and toxicity of total flavonoids extracted from *Robinia pseudoacacia* cv. *idaho*. *Biomed Pharmacother.* 118:109335.
- Heinz SA, Henson DA, Austin MD, Jin F, Nieman DC. 2010. Quercetin supplementation and upper respiratory tract infection: a randomized community clinical trial. *Pharmacol Res.* 62:237–242.
- Ho LTF, Chan KKH, Chung VCH, Leung TH. 2020. Highlights of traditional Chinese medicine frontline expert advice in the China national guideline for COVID-19. *Eur J Integr Med.* 3: 101116.
- Hoever G, Baltina L, Michaelis M, Kondratenko R, Baltina L, Tolstikov GA, Doerr HW, Jr J C. 2005. Antiviral activity of glycyrrhizic acid derivatives against SARS-coronavirus. *J Med Chem.* 48:1256–1259.
- Huang Z, Fun F, Ye H, Gao H, Tan B, Wang R, Lin N, Qin L, Chen W. 2020. Chinese herbal Huo-Gu formula for treatment of steroid-associated osteonecrosis of femoral head: a 14-years follow-up of convalescent SARS patients. *J Orthop Transl.* doi:10.1016/j.jot.2020.03.014
- Lau J, Leung P, Wong E, Fong C, Cheng K, Zhang S, et al. 2005. The use of an herbal formula by hospital care workers during the severe acute respiratory syndrome epidemic in Hong Kong to prevent severe acute respiratory syndrome transmission, relieve influenza-related symptoms, and improve quality of life: a prospective cohort study. *J Altern Complement Med.* 11:49–55.
- Lau K-M, Lee K-M, Koon C-M, Cheung CS-F, Lau C-P, Ho H-M, Lee MY-H, Au SW-N, Cheng CH-K, Lau CB-S, et al. 2008. Immunomodulatory and anti-SARS activities of *Houttuynia cordata*. *J Ethnopharmacol.* 118:79–85.
- Li S-Y, Chen C, Zhang H-Q, Guo H-Y, Wang H, Wang L, Zhang X, Hua S-N, Yu J, Xiao P-G, et al. 2005. Identification of natural compounds with antiviral activities against SARS-associated coronavirus. *Antiviral Res.* 67:18–23.
- Li T, Peng T. 2013. Traditional Chinese herbal medicine as a source of molecules with antiviral activity. *Antiviral Res.* 97:1–9.
- Lin JC. 2003. Mechanism of action of glycyrrhizic acid in inhibition of Epstein-Barr virus replication *in vitro*. *Antiviral Res.* 59:41–47.
- Lin CW, Tsai FJ, Tsai CH, Lai CC, Wan L, Ho TY, et al. 2005. Anti-SARS coronavirus 3C-like protease effects of *Isatis indigotica* root and plant-derived phenolic compounds. *Antiviral Res.* 68:36–42.
- Lin L-T, Hsu W-C, Lin C-C. 2014. Antiviral natural products and herbal medicines. *J Tradit Complement Med.* 4:24–35.
- Liu Y, Chen M, Guo Q, Li Y, Jiang J, Shi J. 2017. Aromatic compounds from an aqueous extract of ‘ban lan gen’ and their antiviral activities. *Acta Pharm Sin B.* 7(2):179–184.
- Luo H, Tang Q-L, Shang Y-X, Liang S-B, Yang M, Robinson N, Liu J-P. 2020. Can Chinese medicine be used for prevention of Corona virus disease 2019 (COVID-19)? A review of historical classics, research evidence and current prevention programs. *Chin J Integr Med.* 26(4):243–250.
- Medini F, Legault J, Pichette A, Abdelly C, Ksouri R. 2014. Antiviral efficacy of *Limonium densiflorum* against HSV-1 and influenza viruses. *S Afr J Bot.* 92:65–72.
- Michaelis M, Geiler J, Naczek P, Sithisarn P, Ogbomo H, Altenbrandt B, Leutz A, Doerr HW, Jr J C. 2010. Glycyrrhizin inhibits highly pathogenic H5N1 influenza A virus-induced pro-inflammatory cytokine and chemokine expression in human macrophages. *Med Microbiol Immunol.* 199:291–297.
- Michaelis M, Doerr HW, Cinatl JJ. 2011. Investigation of the influence of EPs® 7630, a herbal drug preparation from *Pelargonium sidoides*, on replication of a broad panel of respiratory viruses. *Phytomedicine.* 18:384–386.
- Mishra S, Pandey A, Manvati S. 2020. Coumarin: An emerging antiviral agent. *Heliyon.* 6:e03217.
- National Health Commission of the People’s Republic of China. Guideline on diagnosis and treatment of COVID-19 (trial 6th edition). [cited 2020 Feb 23]. <http://www.nhc.gov.cn/xcs/zhengcwj/202002/8334a8326dd329df351d7da8aefc2.shtml> (in Chinese).
- Nie L-X, Wu Y-L, Dai Z, Ma S-C. 2020. Antiviral activity of *Isatis Radix* derived glucosinolate isomers and their breakdown products against influenza A *in vitro/ovo* and mechanism of action. *J Ethnopharmacol.* 251:112550.
- Rastogi S, Pandey MM, Rawat AKS. 2015. Medicinal plants of the genus *Betula* – traditional uses and a phytochemical – pharmacological review. *J Ethnopharmacol.* 159:62–83.
- Sabo VA, Knezevic P. 2019. Antimicrobial activity of *Eucalyptus camaldulensis* Dehn. plant extracts and essential oils: a review. *Ind Crops Prod.* 132:413–429.

- Shahrajabian MH, Sun W, Cheng Q. 2019a. A review of astragalus species as foodstuffs, dietary supplements, a traditional Chinese medicine and a part of modern pharmaceutical science. *Appl Ecol Env Res.* 17(6):13371–13382.
- Shahrajabian MH, Sun W, Cheng Q. 2019b. Chinese star anise and anise, magic herbs in traditional Chinese medicine and modern pharmaceutical science. *Asian J Med Biol Res.* 5(3):162–179.
- Shahrajabian MH, Sun W, Cheng Q. 2019c. A review of ginseng species in different regions as a multipurpose herb in traditional Chinese medicine, modern herbology and pharmacological science. *J Med Plant Res.* 13(10):213–226.
- Shahrajabian MH, Sun W, Cheng Q. 2020a. Chinese star anise (*Illicium verum*) and pyrethrum (*Chrysanthemum cinerariifolium*) as natural alternatives for organic farming and health care – a review. *Aust J Crop Sci.* 14(03):517–523.
- Soleymani A, Shahrajabian MH. 2012. Response of different cultivars of fennel (*Foeniculum vulgare*) to irrigation and planting dates in Isfahan. *Iran Res Crops.* 13(2):656–660.
- Sui X, Yin J, Ren X. 2010. Antiviral effect of diammonium glycyrrhizinate and lithium chloride on cell infection by pseudorabies herpesvirus. *Antiviral Res.* 85:346–353.
- Sun W, Shahrajabian MH, Cheng Q. 2019a. The insight and survey on medicinal properties and nutritive components of shallot. *J Med Plant Res.* 13(18):452–457.
- Sun W, Shahrajabian MH, Cheng Q. 2019b. Anise (*Pimpinella anisum* L.), a dominant spice and traditional medicinal herb for both food and medicinal purposes. *Cogent Biol.* 5(1673688):1–25.
- Wang J, Chen X, Wang W, Zhang Y, Yang Z, Jin Y, Ge HM, Li E, Yang G. 2013. Glycyrrhizic acid as the antiviral components of *Glycyrrhiza uralensis* Fisch. against coxsackievirus A16 and enterovirus 71 of hand foot and mouth disease. *J Ethnopharmacol.* 147:114–121.
- Wang L, Yang R, Yuan B, Liu Y, Liu C. 2015. The antiviral and antimicrobial activities of licorice, a widely-used Chinese herb. *Acta Pharm Sin B.* 5(4):310–315.
- Wen CC, Shyur LF, Jan JT, et al. 2011. Traditional Chinese medicine herbal extracts of *Cibotium Barometz*, *Gentiana Scabra*, *Dioscorea Batatas*, *Cassia Tora*, and *Taxillus Chinensis* inhibit SARS-CoV replication. *J Trad Complement Med.* 1(1):41–50.
- Xu J, Zhang Y. 2020. Traditional Chinese medicine treatment of COVID-19. *Complem Ther Clin Pract.* 39:101165.
- Yagmur Diker N, Kahraman C, Akkol EK, Karaoglu MT, Comoglu T, Akdemir ZS, Cankaya IIT. 2019. The evaluation of sterile solutions of Ilwensisaponin A and C from *Verbascum pterocalycinum* var. *mutense* Hub.-Mor. on antiviral, antinociceptive and anti-inflammatory activities. *Saudi Pharm J.* 27:432–436.
- Yang Z, Liu N, Huang B, Wang Y, Hu Y, Zhu Y. 2005a. Effect of anti-influenza virus of Arctigenin in vivo. *Zhong Yao Cai.* 28:1012–1014.
- Yang ZF, Huang BS, Liu N, Wang YF, Zhu YT. 2005b. Experimental study on the action of Yinqiaosan against influenza A1. *China Trop Med.* 5:1423–1425.
- Yang Y, MdS I, Wang J, Li Y, Chen X. 2020. Traditional Chinese medicine in the treatment of patients infected with 2019-new coronavirus (SARS-CoV-2): a review and perspective. *Int J Biol Sci.* 16(10):1708–1717.
- Yu MS, Lee JM, Kim Y, Chin YW, Jee JG, et al. 2012. Identification of myricetin and scutellarein as novel chemical inhibitors of the SARS coronavirus helicase, nsP13. *Bioorg Med Chem Lett.* 22:4049–4054.
- Zhang L, Chen B, Zeng H. 2005. Analysis of fangdu decoction on SARS and zero infection in hospital. *Chin J Hosp Pharm (Chin).* 25:59–60.
- Zhang T, Chen D. 2008. Anticomplementary principles of a Chinese multiherb remedy for the treatment and prevention of SARS. *J Ethnopharmacol.* 117:351–361.
- Zhang D-H, Wu Kl, Zhang X, Deng S-Q, Peng B. 2020. In silico screening of Chinese herbal medicines with the potential to directly inhibit 2019 novel coronavirus. *J Integr Med.* 18(2):152–158.